

*a measurable difference...*



## Flat Crush Test Fixture

### Flat Crush Test Fixture

**Model Number: F0011**

### Cutter, Flat Crush Test 50cm

**Model Number: C0032**

The Flat Crush Test evaluates the resistance of flutes in corrugated board to a crushing force applied perpendicular to the surface of the board.

Low flat crush values may reflect poor formation of the corrugations, substandard materials, or damage to the corrugations after they are formed.

The Flat Crush Test requires the use of the Flat Crush Test Fixture to prevent lateral movement of the upper portion of the test piece during compressions and also the Flat Crush Test Cutter which can cut through the corrugated structure, leaving clean cut edges at right angles to the faces.



### Applications:

- Corrugated Fibreboard

### Features:

- Changeable blades
- Easy operation
- 4 pin location points

### Standards:

- AS/NZS 1301.429s
- TAPPI T825

### Options:

- N/A

### Connections:

- N/A

### Dimensions:

**F0011:** • Height: 62mm • Radius: 97mm • Weight: 1.5kg  
**C0032:** • Height: 120mm • Radius: 130mm • Weight: 2.0kg



10-11 Colrado Court, Hallam, Victoria 3803 Australia.

Phone: +61 3 9708 6885

Fax: +61 3 9708 6770

Website: [www.idminstruments.com.au](http://www.idminstruments.com.au)

Email: [idm@idminstruments.com.au](mailto:idm@idminstruments.com.au)

All sizes and dimensions shown on this data sheet are averages only and images are as accurate as the medium allows. Products and details shown may change without notice as IDM Instruments Pty Ltd<sup>®</sup> reserves the right to make alterations to its product range from time to time.

Copyright © 2006 IDM Instruments Pty Ltd<sup>®</sup>. All Rights Reserved.