

*a measurable difference...*



## Foam Compression Tester (PLC)

### Model: F0012

This machine performs two methods for determining the deflection force of flexible cellular polyurethane. Test A is the indentation force on deflection and Test B is the compression force on deflection. It is a PLC controlled machine that makes it very easy for the operator to use.

### Applications:

- Flexible cellular polyurethane

### Features:

- 5 pre-programmed testing procedures
- Bench top operation
- Printable reports

### Options:

- To be announced

### Standards:

- AS 2282.8
- AS 2281
- ASTM D3574
- ISO 3386: 1984

### Connections:

- **Electrical:** 220/240 VAC @ 50 HZ or 110 VAC @ 60 HZ

*(please specify when ordering)*

### Dimensions:

- **H:** 1,000mm
- **W:** 900mm
- **D:** 600mm
- **Weight:** 95kg



10-11 Colrado Court, Hallam, Victoria 3803 Australia.

Phone: +61 3 9708 6885

Fax: +61 3 9708 6770

Website: [www.idminstruments.com.au](http://www.idminstruments.com.au)

Email: [idm@idminstruments.com.au](mailto:idm@idminstruments.com.au)

All sizes and dimensions shown on this data sheet are averages only and images are as accurate as the medium allows. Products and details shown may change without notice as IDM Instruments Pty Ltd<sup>®</sup> reserves the right to make alterations to its product range from time to time.

Copyright © 2006 IDM Instruments Pty Ltd<sup>®</sup>. All Rights Reserved.